

WORM RISK CHECKER FOR CATS

Elanco

Find out in just 2 minutes how often you should be worming. Many things can affect your cat's risk of getting worms and you may need to deworm your pet as regularly as monthly. It takes as little as 30 days for eggs to develop into harmful worms!¹ **More than one pet? Click the first question to refresh content and begin again, after the risk checker has been completed.**

Does your cat live with children under the age of 5, or at risk people (e.g. immunocompromised individuals)?

NO

YES

Does your cat go outside?

NO

YES




GROUP 1

Your cat is in **Risk Group 1** and needs to be dewormed a minimum of **4 times a year**, including coverage for **roundworm**



ROUNDWORM



GROUP 2

Your cat is in **Risk Group 2** and needs to be dewormed a minimum of **4 times a year**, including coverage for **roundworm and tapeworm** (*roundworm and tapeworm treatment may need to be more frequent, if cat is regularly hunting*)



ROUNDWORM



TAPEWORM



GROUP 3

Your cat is in **Risk Group 3** and needs to be dewormed **4-12 times a year for roundworm** and if they go outdoors, **4 times a year for tapeworm** (*roundworm and tapeworm treatment may need to be more frequent, if cat is regularly hunting*)



ROUNDWORM



TAPEWORM

If the individual risk of an animal cannot be judged clearly, the animal should be examined or dewormed **at least 4 times a year**. Studies have shown that deworming 1-3 times a year does not provide sufficient protection.¹

Endorsed by ESCCAP UK and Ireland.

For further information call Elanco Animal Health on +44(0)1256 353131 or write to: Elanco UK AH Limited, Form 2, Bartley Way, Bartley Wood Business Park, Hook, RG27 9XA, United Kingdom. Milbemax and Elanco are trademarks of Elanco or its affiliates. Advice should be sought from the medicine prescriber prior to use. Use medicines responsibly www.noah.co.uk/responsible. © 2020 Elanco or its affiliates • PM-UK-20-0458 • 06/2020

Reference: 1. ESCCAP Endoparasite Guidelines, Sixth Edition, February 2020

Brought to you by Elanco, makers of

MILBEMAX

WORM RISK CHECKER FOR CATS

Elanco

Find out in just 2 minutes how often you should be worming. Many things can affect your cat's risk of getting worms and you may need to deworm your pet as regularly as monthly. It takes as little as 30 days for eggs to develop into harmful worms!¹ **More than one pet? Click the first question to refresh content and begin again, after the risk checker has been completed.**

Does your cat live with children under the age of 5, or at risk people (e.g. immunocompromised individuals)?

NO

YES

Does your cat go outside?

NO

YES




GROUP 1

Your cat is in **Risk Group 1** and needs to be dewormed a minimum of **4 times a year**, including coverage for **roundworm**



ROUNDWORM



GROUP 2

Your cat is in **Risk Group 2** and needs to be dewormed a minimum of **4 times a year**, including coverage for **roundworm** and **tapeworm** (*roundworm and tapeworm treatment may need to be more frequent, if cat is regularly hunting*)



ROUNDWORM



TAPEWORM



GROUP 3

Your cat is in **Risk Group 3** and needs to be dewormed **4-12 times a year for roundworm** and if they go outdoors, **4 times a year for tapeworm** (*roundworm and tapeworm treatment may need to be more frequent, if cat is regularly hunting*)



ROUNDWORM



TAPEWORM

If the individual risk of an animal cannot be judged clearly, the animal should be examined or dewormed **at least 4 times a year**. Studies have shown that deworming 1-3 times a year does not provide sufficient protection.¹

Endorsed by ESCCAP UK and Ireland.

For further information call Elanco Animal Health on +44(0)1256 353131 or write to: Elanco UK AH Limited, Form 2, Bartley Way, Bartley Wood Business Park, Hook, RG27 9XA, United Kingdom. Milbemax and Elanco are trademarks of Elanco or its affiliates. Advice should be sought from the medicine prescriber prior to use. Use medicines responsibly www.noah.co.uk/responsible. © 2020 Elanco or its affiliates • PM-UK-20-0458 • 06/2020

Reference: 1. ESCCAP Endoparasite Guidelines, Sixth Edition, February 2020

Brought to you by Elanco, makers of

MILBEMAX

WORM RISK CHECKER FOR CATS

Elanco

Find out in just 2 minutes how often you should be worming. Many things can affect your cat's risk of getting worms and you may need to deworm your pet as regularly as monthly. It takes as little as 30 days for eggs to develop into harmful worms!¹ **More than one pet? Click the first question to refresh content and begin again, after the risk checker has been completed.**

Does your cat live with children under the age of 5, or at risk people (e.g. immunocompromised individuals)?

NO

YES

Does your cat go outside?

NO

YES




GROUP 1

Your cat is in **Risk Group 1** and needs to be dewormed a minimum of **4 times a year**, including coverage for **roundworm**



ROUNDWORM



GROUP 2

Your cat is in **Risk Group 2** and needs to be dewormed a minimum of **4 times a year**, including coverage for **roundworm and tapeworm** (*roundworm and tapeworm treatment may need to be more frequent, if cat is regularly hunting*)



ROUNDWORM



TAPEWORM



GROUP 3

Your cat is in **Risk Group 3** and needs to be dewormed **4-12 times a year for roundworm** and if they go outdoors, **4 times a year for tapeworm** (*roundworm and tapeworm treatment may need to be more frequent, if cat is regularly hunting*)



ROUNDWORM



TAPEWORM

If the individual risk of an animal cannot be judged clearly, the animal should be examined or dewormed **at least 4 times a year**. Studies have shown that deworming 1-3 times a year does not provide sufficient protection.¹

Endorsed by ESCCAP UK and Ireland.

For further information call Elanco Animal Health on +44(0)1256 353131 or write to: Elanco UK AH Limited, Form 2, Bartley Way, Bartley Wood Business Park, Hook, RG27 9XA, United Kingdom. Milbemax and Elanco are trademarks of Elanco or its affiliates. Advice should be sought from the medicine prescriber prior to use. Use medicines responsibly www.noah.co.uk/responsible. © 2020 Elanco or its affiliates • PM-UK-20-0458 • 06/2020

Reference: 1. ESCCAP Endoparasite Guidelines, Sixth Edition, February 2020

Brought to you by Elanco, makers of

MILBEMAX

WORM RISK CHECKER FOR CATS

Elanco

Find out in just 2 minutes how often you should be worming. Many things can affect your cat's risk of getting worms and you may need to deworm your pet as regularly as monthly. It takes as little as 30 days for eggs to develop into harmful worms!¹ **More than one pet? Click the first question to refresh content and begin again, after the risk checker has been completed.**

Does your cat live with children under the age of 5, or at risk people (e.g. immunocompromised individuals)?

NO

YES

Does your cat go outside?

NO

YES




GROUP 1

Your cat is in **Risk Group 1** and needs to be dewormed a minimum of **4 times a year**, including coverage for **roundworm**



ROUNDWORM



GROUP 2

Your cat is in **Risk Group 2** and needs to be dewormed a minimum of **4 times a year**, including coverage for **roundworm and tapeworm** (*roundworm and tapeworm treatment may need to be more frequent, if cat is regularly hunting*)



ROUNDWORM



TAPEWORM



GROUP 3

Your cat is in **Risk Group 3** and needs to be dewormed **4-12 times a year for roundworm** and if they go outdoors, **4 times a year for tapeworm** (*roundworm and tapeworm treatment may need to be more frequent, if cat is regularly hunting*)



ROUNDWORM



TAPEWORM

If the individual risk of an animal cannot be judged clearly, the animal should be examined or dewormed **at least 4 times a year**. Studies have shown that deworming 1-3 times a year does not provide sufficient protection.¹

Endorsed by ESCCAP UK and Ireland.

For further information call Elanco Animal Health on +44(0)1256 353131 or write to: Elanco UK AH Limited, Form 2, Bartley Way, Bartley Wood Business Park, Hook, RG27 9XA, United Kingdom. Milbemax and Elanco are trademarks of Elanco or its affiliates. Advice should be sought from the medicine prescriber prior to use. Use medicines responsibly www.noah.co.uk/responsible. © 2020 Elanco or its affiliates • PM-UK-20-0458 • 06/2020

Reference: 1. ESCCAP Endoparasite Guidelines, Sixth Edition, February 2020

Brought to you by Elanco, makers of

MILBEMAX