

WORM RISK CHECKER FOR DOGS

Elanco

Find out in just 2 minutes how often you should be worming. Many things can affect your dog's risk of getting worms and you may need to deworm your pet as regularly as monthly. It takes as little as 30 days for eggs to develop into harmful worms!¹ **More than one pet? Click the 'Start' button to refresh content and begin again, after the risk checker has been completed.**

YES

START:

Does your dog visit parks/playgrounds or live with children/at risk people (e.g.: immunocompromised individuals)?

NO

Does your dog ever go out of eyesight?

NO YES



Do they have a tendency to eat 'anything'?

NO YES



Do they have raw meat included in their diet?

NO YES



GROUP 1

Your dog is in **Risk Group 1** and needs to be dewormed a minimum of **4 times a year**, including coverage for **roundworm**



ROUNDWORM

GROUP 2

Your dog is in **Risk Group 2** and needs to be dewormed **monthly for roundworm**. This should include **coverage for lungworm** if this is a local issue or your pet travels to an area with lungworm



ROUNDWORM



LUNGWORM

GROUP 3

Your dog is in **Risk Group 3** and needs to be dewormed **monthly**. It is recommended to worm **12 times a year for roundworm and lungworm**, and a minimum of **4 times a year (up to monthly) for tapeworm**



ROUNDWORM



LUNGWORM



TAPEWORM



If the individual risk of an animal cannot be judged clearly, the animal should be examined or dewormed **at least 4 times a year**. Studies have shown that deworming 1–3 times a year does not provide sufficient protection.¹

Endorsed by ESCCAP UK and Ireland.

For further information call Elanco Animal Health on +44(0)1256 353131 or write to: Elanco UK AH Limited, Form 2, Bartley Way, Bartley Wood Business Park, Hook, RG27 9XA, United Kingdom. Milbemax and Elanco are trademarks of Elanco or its affiliates. Advice should be sought from the medicine prescriber prior to use. Use medicines responsibly www.noah.co.uk/responsible. © 2020 Elanco or its affiliates • PM-UK-20-0446 • 06/2020

Reference: 1. ESCCAP Endoparasite Guidelines, Sixth Edition, February 2020

Brought to you by Elanco, makers of

MILBEMAX 

WORM RISK CHECKER FOR DOGS

Elanco

Find out in just 2 minutes how often you should be worming. Many things can affect your dog's risk of getting worms and you may need to deworm your pet as regularly as monthly. It takes as little as 30 days for eggs to develop into harmful worms!¹ **More than one pet? Click the 'Start' button to refresh content and begin again, after the risk checker has been completed.**

YES

START:

Does your dog visit parks/
playgrounds or live with
children/at risk people
(e.g.: immunocompromised
individuals)?

NO

Does your dog ever
go out of eyesight?

NO YES



Do they have a tendency
to eat 'anything'?

NO YES

Do they have raw meat
included in their diet?

NO YES



GROUP 1

Your dog is in **Risk Group 1** and needs to be dewormed a minimum of **4 times a year**, including coverage for **roundworm**



ROUNDWORM



GROUP 2

Your dog is in **Risk Group 2** and needs to be dewormed **monthly for roundworm**. This should include **coverage for lungworm** if this is a local issue or your pet travels to an area with lungworm



ROUNDWORM



LUNGWORM



GROUP 3

Your dog is in **Risk Group 3** and needs to be dewormed **monthly**. It is recommended to worm **12 times a year for roundworm and lungworm**, and a minimum of **4 times a year (up to monthly) for tapeworm**



ROUNDWORM



LUNGWORM



TAPEWORM

If the individual risk of an animal cannot be judged clearly, the animal should be examined or dewormed **at least 4 times a year**. Studies have shown that deworming 1–3 times a year does not provide sufficient protection.¹

Endorsed by ESCCAP UK and Ireland.

For further information call Elanco Animal Health on +44(0)1256 353131 or write to: Elanco UK AH Limited, Form 2, Bartley Way, Bartley Wood Business Park, Hook, RG27 9XA, United Kingdom. Milbemax and Elanco are trademarks of Elanco or its affiliates. Advice should be sought from the medicine prescriber prior to use. Use medicines responsibly www.noah.co.uk/responsible. © 2020 Elanco or its affiliates • PM-UK-20-0446 • 06/2020

Reference: 1. ESCCAP Endoparasite Guidelines, Sixth Edition, February 2020

Brought to you by Elanco, makers of

MILBEMAX 

WORM RISK CHECKER FOR DOGS

Elanco

Find out in just 2 minutes how often you should be worming. Many things can affect your dog's risk of getting worms and you may need to deworm your pet as regularly as monthly. It takes as little as 30 days for eggs to develop into harmful worms!¹ **More than one pet? Click the 'Start' button to refresh content and begin again, after the risk checker has been completed.**

START:

Does your dog visit parks/playgrounds or live with children/at risk people (e.g.: immunocompromised individuals)?

YES **NO**

Does your dog ever go out of eyesight?

NO **YES**

Do they have a tendency to eat 'anything'?

NO **YES**

Do they have raw meat included in their diet?

NO **YES**

GROUP 1

Your dog is in **Risk Group 1** and needs to be dewormed a minimum of **4 times a year**, including coverage for **roundworm**


ROUNDWORM

GROUP 2

Your dog is in **Risk Group 2** and needs to be dewormed **monthly for roundworm**. This should include **coverage for lungworm** if this is a local issue or your pet travels to an area with lungworm

 
ROUNDWORM LUNGWORM

GROUP 3

Your dog is in **Risk Group 3** and needs to be dewormed **monthly**. It is recommended to worm **12 times a year for roundworm and lungworm**, and a minimum of **4 times a year (up to monthly) for tapeworm**

  
ROUNDWORM LUNGWORM TAPEWORM

If the individual risk of an animal cannot be judged clearly, the animal should be examined or dewormed **at least 4 times a year**. Studies have shown that deworming 1–3 times a year does not provide sufficient protection.¹

Endorsed by ESCCAP UK and Ireland.

For further information call Elanco Animal Health on +44(0)1256 353131 or write to: Elanco UK AH Limited, Form 2, Bartley Way, Bartley Wood Business Park, Hook, RG27 9XA, United Kingdom. Milbemax and Elanco are trademarks of Elanco or its affiliates. Advice should be sought from the medicine prescriber prior to use. Use medicines responsibly www.noah.co.uk/responsible. © 2020 Elanco or its affiliates • PM-UK-20-0446 • 06/2020

Reference: 1. ESCCAP Endoparasite Guidelines, Sixth Edition, February 2020

Brought to you by Elanco, makers of

MILBEMAX 

WORM RISK CHECKER FOR DOGS

Elanco

Find out in just 2 minutes how often you should be worming. Many things can affect your dog's risk of getting worms and you may need to deworm your pet as regularly as monthly. It takes as little as 30 days for eggs to develop into harmful worms!¹ **More than one pet? Click the 'Start' button to refresh content and begin again, after the risk checker has been completed.**

START:

Does your dog visit parks/playgrounds or live with children/at risk people (e.g.: immunocompromised individuals)?

YES **NO**

Does your dog ever go out of eyesight?

NO **YES**

Do they have a tendency to eat 'anything'?

NO **YES**

Do they have raw meat included in their diet?

NO **YES**

GROUP 1

Your dog is in **Risk Group 1** and needs to be dewormed a minimum of **4 times a year**, including coverage for **roundworm**


ROUNDWORM

GROUP 2

Your dog is in **Risk Group 2** and needs to be dewormed **monthly for roundworm**. This should include **coverage for lungworm** if this is a local issue or your pet travels to an area with lungworm

 
ROUNDWORM LUNGWORM

GROUP 3

Your dog is in **Risk Group 3** and needs to be dewormed **monthly**. It is recommended to worm **12 times a year for roundworm and lungworm**, and a minimum of **4 times a year (up to monthly) for tapeworm**

  
ROUNDWORM LUNGWORM TAPEWORM

If the individual risk of an animal cannot be judged clearly, the animal should be examined or dewormed **at least 4 times a year**. Studies have shown that deworming 1–3 times a year does not provide sufficient protection.¹

Endorsed by ESCCAP UK and Ireland.

For further information call Elanco Animal Health on +44(0)1256 353131 or write to: Elanco UK AH Limited, Form 2, Bartley Way, Bartley Wood Business Park, Hook, RG27 9XA, United Kingdom. Milbemax and Elanco are trademarks of Elanco or its affiliates. Advice should be sought from the medicine prescriber prior to use. Use medicines responsibly www.noah.co.uk/responsible. © 2020 Elanco or its affiliates • PM-UK-20-0446 • 06/2020

Reference: 1. ESCCAP Endoparasite Guidelines, Sixth Edition, February 2020

Brought to you by Elanco, makers of

MILBEMAX 

WORM RISK CHECKER FOR DOGS

Elanco

Find out in just 2 minutes how often you should be worming. Many things can affect your dog's risk of getting worms and you may need to deworm your pet as regularly as monthly. It takes as little as 30 days for eggs to develop into harmful worms!¹ **More than one pet? Click the 'Start' button to refresh content and begin again, after the risk checker has been completed.**

START:
Does your dog visit parks/playgrounds or live with children/at risk people (e.g.: immunocompromised individuals)?

YES **NO**

Does your dog ever go out of eyesight?

NO **YES**

Do they have a tendency to eat 'anything'?

NO **YES**

Do they have raw meat included in their diet?

NO **YES**

GROUP 1
Your dog is in **Risk Group 1** and needs to be dewormed a minimum of **4 times a year**, including coverage for **roundworm**


ROUNDWORM

GROUP 2
Your dog is in **Risk Group 2** and needs to be dewormed **monthly for roundworm**. This should include **coverage for lungworm** if this a local issue or your pet travels to an area with lungworm

 
ROUNDWORM LUNGWORM

GROUP 3
Your dog is in **Risk Group 3** and needs to be dewormed **monthly**. It is recommended to worm **12 times a year for roundworm and lungworm**, and a minimum of **4 times a year (up to monthly) for tapeworm**

  
ROUNDWORM LUNGWORM TAPEWORM

If the individual risk of an animal cannot be judged clearly, the animal should be examined or dewormed **at least 4 times a year**. Studies have shown that deworming 1–3 times a year does not provide sufficient protection.¹

Endorsed by ESCCAP UK and Ireland.

For further information call Elanco Animal Health on +44(0)1256 353131 or write to: Elanco UK AH Limited, Form 2, Bartley Way, Bartley Wood Business Park, Hook, RG27 9XA, United Kingdom. Milbemax and Elanco are trademarks of Elanco or its affiliates. Advice should be sought from the medicine prescriber prior to use. Use medicines responsibly www.noah.co.uk/responsible. © 2020 Elanco or its affiliates • PM-UK-20-0446 • 06/2020

Reference: 1. ESCCAP Endoparasite Guidelines, Sixth Edition, February 2020

Brought to you by Elanco, makers of

MILBEMAX 

WORM RISK CHECKER FOR DOGS

Elanco

Find out in just 2 minutes how often you should be worming. Many things can affect your dog's risk of getting worms and you may need to deworm your pet as regularly as monthly. It takes as little as 30 days for eggs to develop into harmful worms!¹ **More than one pet? Click the 'Start' button to refresh content and begin again, after the risk checker has been completed.**

YES

START:

Does your dog visit parks/
playgrounds or live with
children/at risk people
(e.g.: immunocompromised
individuals)?

NO

Does your dog ever
go out of eyesight?

NO YES



Do they have a tendency
to eat 'anything'?

NO YES



Do they have raw meat
included in their diet?

NO YES





GROUP 1

Your dog is in **Risk Group 1** and
needs to be dewormed a minimum
of **4 times a year**, including
coverage for **roundworm**



ROUNDWORM

GROUP 2

Your dog is in **Risk Group 2** and
needs to be dewormed **monthly**
for roundworm. This should
include **coverage for lungworm**
if this a local issue or your pet
travels to an area with lungworm



ROUNDWORM



LUNGWORM

GROUP 3

Your dog is in **Risk Group 3** and
needs to be dewormed **monthly**.
It is recommended to worm
12 times a year for roundworm
and **lungworm**, and a minimum of
4 times a year (up to monthly)
for **tapeworm**



ROUNDWORM



LUNGWORM



TAPEWORM

If the individual risk of an animal cannot be judged clearly, the animal should be examined or dewormed **at least 4 times a year**. Studies have shown that deworming 1–3 times a year does not provide sufficient protection.¹

Endorsed by ESCCAP UK and Ireland.

For further information call Elanco Animal Health on +44(0)1256 353131 or write to: Elanco UK AH Limited, Form 2, Bartley Way, Bartley Wood Business Park, Hook, RG27 9XA, United Kingdom. Milbemax and Elanco are trademarks of Elanco or its affiliates. Advice should be sought from the medicine prescriber prior to use. Use medicines responsibly www.noah.co.uk/responsible. © 2020 Elanco or its affiliates • PM-UK-20-0446 • 06/2020

Reference: 1. ESCCAP Endoparasite Guidelines, Sixth Edition, February 2020

Brought to you by Elanco, makers of

MILBEMAX 